UST Hand Brush w/short handle, 260 mm, Hard, Orange







This ULTRA SAFE TECHNOLOGY (UST) short-handled Hand Brush comes with angled Filament Security Units for optimal cleaning of conveyor belts, production lines, machinery and food-preparation surfaces in high-risk areas. All UST brushes feature a unique bristle system that minimises the risk of contamination and bristle loss.

Technical Data

Item Number	41797
Bristle stiffness	Hard
Visible bristle length	37 mm
Material	Polyester (PBT) Glass reinforced Polypropylene
Product Recycling Symbol "7", Miscellaneous Plastics	Yes
Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulation CFR 21 ¹	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS intentionally added	No
Design Registration No.	EU 002189654-0001, EU 002650838-1-4, US D839608, EU 002650580-1-7, GB 9002650830001-4, GB 900265505800001-7
Pat. Pending/Patent No.	EP2816930 validated in DE, FR, GB and DK. US9204712 EP2816929 validated in DE, FR, GB and DK. US9357831
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	960 Pcs.
Quantity Per Layer (Pallet)	80 Pcs.
Box Length/Depth	385 mm
Box Width	295 mm
Box Height	140 mm
Product Length/Depth	260 mm
Product Width	70 mm
Product Height	100 mm
Net Weight	0.16 kg
Plastic Packaging (Recycling Symbol "4")	0.0038 kg
Cardboard Packaging (Recycling symbol "20" PAP)	0.0238 kg
Total Tare Weight	0.0276 kg
Gross Weight	0.19 kg

Max. usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10.5 pHMin. pH-value in usage concentration2 pHGTIN-13 Number5705020417979GTIN-14 Number (Box quantity)15705020417976Customs Tariff Number96039099UNSPSC Code47131605Country of Origin ISO CodeDKCountry of OriginDenmark	Cubic metre	0.00182 M3
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. drying temperature 100 °C Min. usage temperature 100 °C Min. usage temperature 100 °C Max. pH-value in Usage Concentration 10.5 pH Min. pH-value in usage concentration 2 pH GTIN-13 Number 5705020417979 GTIN-14 Number (Box quantity) 15705020417976 Customs Tariff Number 96039099 UNSPSC Code 47131605 Country of Origin ISO Code	Max. usage temperature (food contact)	80 °C
Max. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10.5 pHMin. pH-value in usage concentration2 pHGTIN-13 Number5705020417979GTIN-14 Number (Box quantity)15705020417976Customs Tariff Number96039099UNSPSC Code47131605Country of Origin ISO CodeDK	Max usage temperature (non food contact)	80 °C
Max. drying temperature100 °CMin. usage temperature3-20 °CMax. pH-value in Usage Concentration10.5 pHMin. pH-value in usage concentration2 pHGTIN-13 Number5705020417979GTIN-14 Number (Box quantity)15705020417976Customs Tariff Number96039099UNSPSC Code47131605Country of Origin ISO CodeDK	Recommended sterilisation temperature (Autoclave)	121 °C
Min. usage temperature3-20 °CMax. pH-value in Usage Concentration10.5 pHMin. pH-value in usage concentration2 pHGTIN-13 Number5705020417979GTIN-14 Number (Box quantity)15705020417976Customs Tariff Number96039099UNSPSC Code47131605Country of Origin ISO CodeDK	Max. cleaning temperature (Dishwasher)	93 °C
Max. pH-value in Usage Concentration Min. pH-value in usage concentration 2 pH GTIN-13 Number 5705020417979 GTIN-14 Number (Box quantity) 15705020417976 Customs Tariff Number 96039099 UNSPSC Code 47131605 Country of Origin ISO Code	Max. drying temperature	100 °C
Min. pH-value in usage concentration2 pHGTIN-13 Number5705020417979GTIN-14 Number (Box quantity)15705020417976Customs Tariff Number96039099UNSPSC Code47131605Country of Origin ISO CodeDK	Min. usage temperature ³	-20 °C
GTIN-13 Number 5705020417979 GTIN-14 Number (Box quantity) 15705020417976 Customs Tariff Number 96039099 UNSPSC Code 47131605 Country of Origin ISO Code DK	Max. pH-value in Usage Concentration	10.5 pH
GTIN-14 Number (Box quantity) Customs Tariff Number 96039099 UNSPSC Code 47131605 Country of Origin ISO Code DK	Min. pH-value in usage concentration	2 pH
Customs Tariff Number 96039099 UNSPSC Code 47131605 Country of Origin ISO Code DK	GTIN-13 Number	5705020417979
UNSPSC Code 47131605 Country of Origin ISO Code DK	GTIN-14 Number (Box quantity)	15705020417976
Country of Origin ISO Code DK	Customs Tariff Number	96039099
	UNSPSC Code	47131605
Country of Origin Denmark	Country of Origin ISO Code	DK
	Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.