

UNSUPPORTED NITRILE GAUNTLET

Chemical resistant gauntlet with a textured pattern on the palm. Flock-lined for extra comfort.

FEATURES

- › Flock-lined for extra comfort and ease of donning
- › Textured palm and fingertips for gripping in wet and dry conditions
- › Resistant to a wide variety of chemicals and solvents
- › EN374 and Category III approved
- › Chlorinated and sanitised to reduce odours
- › Straight cuff
- › Blue colouring
- › Length: 330mm



SUITABLE FOR

Typical Industries

- Agriculture
- Automotive
- Chemical
- Facility Management
- Oil and Gas
- Repair and Refurbish

Suitable Applications

- Chemical Handling
- Cleaning
- Commercial Printing
- Paintshop
- Pesticide Handling

CERTIFICATION

CAT III	EN 388:2016	EN ISO 374-1:2016/ Type A	EN ISO 374-5:2016	
2777	4101X	AJKLM-NOPT		

See overleaf for explanation

PRODUCTION INFORMATION

MATERIALS	LINER:	Cotton Flock
	COATING:	Nitrile
COLOUR	Blue	
LENGTH (mm)	330	
CUFF STYLE	Gauntlet	


ORDERING DETAILS

SIZE	CODE	PACKAGING
6/XS	SKY950	10 pairs per bag
7/S	SKY951	
8/M	SKY952	120 pairs per case
9/L	SKY953	
10/XL	SKY954	

RECOMMENDATIONS FOR USE

- **USE:** Chemical resistant glove. Not suitable for thermal, electrical protection. Do not use near moving machines if there is a risk of entanglement
- **STORAGE:** Store in dry conditions in the original packaging and away from direct sunlight
- **CLEANING:** To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present.
- **LIFETIME:** Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use

CERTIFICATION LEGENDS

MECHANICAL HAZARDS EN 388:2016 PERFORMANCE LEVELS*


*If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter


PROTECTION AGAINST MICRO-ORGANISMS EN 374-5

VIRUS = Glove has passed ISO 16604:2004 (method B)


FOOD CONTACT DIRECTIVE 2002 / 72 EC

RESISTANCE TO CHEMICAL PERMEATION - EN ISO 374:2016

CODE	CHEMICAL	CODE	CHEMICAL	TYPE OF GLOVES	BREAKTHROUGH TIME
A	Methanol	J	n-Heptane	A	≥30 min for at least 6 chemicals
B	Acetone	K	Sodium hydroxide 40%		
C	Acetonitrile	L	Sulphuric acid 96%		
D	Dichloromethane	M	65% Nitric acid	B	≥30 min for at least 3 chemicals
E	Carbon Disulfide	N	99% Acetic acid		
F	Toluene	O	25% Ammonium hydroxide	C	≥10 min for at least 1 chemical
G	Diethylamine	P	30% Hydrogen peroxide		
H	Tetrahydrofurane	S	40% Hydrofluoric acid		
I	Ethyl acetate	T	37% Formaldehyde		

GLOBUS

EUROPE
www.globusgroup.com
E: sales@globus.co.uk

T: +44 (0)161 877 4747

F: +44 (0)161 877 4746

MIDDLE EAST & AFRICA
www.globusgroup.com/gcc
E: gcc@globusgroup.com

T: +971 4 882 9962

F: +971 4 882 9963

GLOBUS AMERICAS
www.globusgroup.com
E: americas@globusgroup.com

Globus Group, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM
 Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES
 Globus Americas LLC, 45 Rockefeller Plaza, Suite 2000, New York City, New York, 10111, USA

© 2023 Globus (Shetland) Ltd | SKY-DATA-FRISCO-1123,1

EU Type-Examination Certificate issued by SATRA Technology Europe Limited, Bracetown Business Park, Clonee, D15YN2P, Republic of Ireland. (Notified Body No. 2777)